Printing date 03.04.2014 Revision: 03.04.2014

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Touch N Seal Foam Kit 200 ICC Part B
- · Article number: EHS2732 SDS / B REGULAR
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Polyurethane-sealant
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Convenience Products, division of Clayton Corp.

866 Horan Drive

Fenton, MO 63026-2416 Phone: 636-349-5855



ChemTel Inc.

(800)255-3924, +1 (813)248-0585



2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Repr. 1A H360 May damage fertility or the unborn child.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

H229 Pressurised container: May burst if heated.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R60: May impair fertility.

Xn; Harmful

R22: Harmful if swallowed.

💢 Xi; Irritant

R36: Irritating to eyes.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 1)

Warning! Pressurized container.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

Polyether polyol

Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl)amino) methyl]-4-nonylphenol (5:1)

halogenated aliphatic polyether polyol

· Hazard statements

H229 Pressurised container: May burst if heated.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

· Precautionary statements

P281 Use personal protective equipment as required.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

· Additional information:

Contains diglycidyl 1,2-cyclohexanedicarboxylate, Neodecanoic Acid. May produce an allergic reaction. Restricted to professional users.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

· Hazard description:

· WHMIS-symbols:

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

(Contd. on page 3)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 2)



· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- * Indicates a long term health hazard from repeated or prolonged exposures.
- · HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 811-97-2	Norflurane	10-25%
EINECS: 212-377-0	♦ Press. Gas, H280	
	Polyether polyol	10-25%
	Xn R22; Xi R36/37/38	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 68441-62-3	halogenated aliphatic polyether polyol	10-25%
	🗙 Xn R22; 🗙 Xi R36	
	Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 460-73-1	1,1,1,3,3-Pentafluoropropane, (Genetron®245fa)	<10%
	Press. Gas, H280	
	(Contd	on page 4)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

	(Contd	. of page 3)
amino T & Re	yloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl) o) methyl]-4-nonylphenol (5:1) R60; Xi R36/37/38 epr. 1A, H360 kin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	<10%
CAS: 5493-45-8 diglyc EINECS: 226-826-3 Xi ⊕ Si	cidyl 1,2-cyclohexanedicarboxylate	<10%
EINECS: 248-093-9 X r ↔ Ey	lecanoic Acid n R22; ★ Xi R38-41; ★ Xi R43 ye Dam. 1, H318 cute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	<10%

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders.

Dizziness

Coughing

Allergic reactions

- · Hazards No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation.

If necessary oxygen respiration treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

(Contd. on page 5)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 4)

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

(Contd. on page 6)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 5)

Store away from foodstuffs.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

811-97-2 Norflurane

WEEL (USA) 1000 ppm

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 6)

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Aerosol

Colour:
Odour:
Odour threshold:
Amber coloured
Like aromates
Not determined.

pH-value:
Not determined.

· Change in condition

Melting point/Melting range: Not Determined.

Boiling point/Boiling range: -15 °F / -26 °C

· Flash point: Not applicable, as aerosol.

Flammability (solid, gaseous): Not applicable.
 Auto/Self-ignition temperature: >500 °F / >260 °C
 Decomposition temperature: Not determined.

Self-igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

Vapour pressure at 20 °C:
Density at 20 °C:
Relative density
Vapour density
Evaporation rate
5716 hPa
1,2 g/cm³
Not determined.
Not determined.
Not applicable.

(Contd. on page 8)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 7)

· Solubility in / Miscibility with

water: Fully miscible.Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 0.0 % Water: 0.7 % VOC (US EPA Method 24) 0 g/l

• **9.2 Other information** No further relevant information available.

10 Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with catalysts.

Reacts with peroxides.

Reacts with strong oxidizing agents.

Reacts with strong acids.

Exothermic polymerization.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Phosphorus compounds

Chlorine compounds

Nitrogen oxides (NOx)

Poisonous gases/vapours

Phosgene

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eve: Irritating effect.
- · Sensitization:

Sensitizing effect by skin contact is possible by prolonged exposure.

Sensitizing effect through inhalation is possible by prolonged exposure.

(Contd. on page 9)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 8)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Toxic and/or corrosive effects may be delayed up to 24 hours.

- · Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Repr. 1A

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

· 14.2 UN proper shipping name

· DOT, IMDG, IATA

UN3500

Chemical under pressure, n.o.s. (Fluorinated Hydrocarbon, Nitrogen)

3500 CHEMICAL UNDER PRESSURE, N.O.S

(Fluorinated Hydrocarbon, Nitrogen)

(Contd. on page 10)

· ADR

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 9) · 14.3 Transport hazard class(es) · DOT · Class 2.2 2.2 · Label · ADR · Class 2 8A Gases. · Label 2.2 · IMDG, IATA 2.2 · Class · Label 2.2 · 14.4 Packing group · DOT, ADR, IMDG, IATA Not Regulated · 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Warning: Gases. Danger code (Kemler): 20 · EMS Number: F-D,S-U · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 120 ml · Transport category 3 · Tunnel restriction code C/E · UN "Model Regulation": UN3500, CHEMICAL UNDER PRESSURE, N.O.S. (Fluorinated Hydrocarbon, Nitrogen), 2.2

(Contd. on page 11)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 10)

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

(Contd. on page 12)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 11)

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

11000	Contains gas under pressure; may explode if heated.
H.YXU	L'antaine dae lindar procellre, may explode it heated
H280	- COHIGINA GAA GIGGE DIGAAGIG. HIAY GADIQGE II HEAIGG.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Causes serious eye irritation. H319

H335 May cause respiratory irritation.

May damage fertility or the unborn child. H360

R22 Harmful if swallowed.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R60 May impair fertility.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

: Flammable aerosols, Hazard Category 3

Press. Gas: Gases under pressure: Compressed gas

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 1A: Reproductive toxicity, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. on page 13)

Printing date 03.04.2014 Revision: 03.04.2014

Trade name: Touch N Seal Foam Kit 200 ICC Part - B

(Contd. of page 12)

· Sources

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com