
GHS

Printing date 03.04.2014

Revision: 03.04.2014



Printing date 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

Revision: 03.04.2014

(Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: halogenated aliphatic polyether polyol Polyether polyol halogenated hydrocarbon · Hazard statements H229 Pressurised container: May burst if heated. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. Wear protective gloves / eve protection. P280 Avoid breathing mist/vapours/spray. P261 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for P304+P340 breathing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of soap and water. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. Additional information: Contains Neodecanoic Acid. May produce an allergic reaction. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. 3,5 % by mass of the contents are flammable · Hazard description: · WHMIS-symbols: A - Compressed gas D2B - Toxic material causing other toxic effects (Contd. on page 3)

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

 NFPA ratings (scale 0 - 4) Health = 2 Fire = 0 Reactivity = 1 HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2 Fire = 0 Reactivity = 1 HMIS Long Term Health Hazard Substances None of the ingredients is listed. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	ontd. of page 2)
 Fire = 0 Reactivity = 1 HMIS-ratings (scale 0 - 4) HEALTH 2 FIRE 0 REACTIVITY Reactivity = 1 HMIS Long Term Health Hazard Substances None of the ingredients is listed. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	
HEALTH 2 Health = 2 FIRE 0 Fire = 0 REACTIVITY Reactivity = 1 • HMIS Long Term Health Hazard Substances None of the ingredients is listed. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	
FIRE Fire = 0 Reactivity = 1 • HMIS Long Term Health Hazard Substances None of the ingredients is listed. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. 	
None of the ingredients is listed. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	
 • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. 	
Results of PBT and vPvB assessment PBT: Not applicable.	
· vPvB: Not applicable.	

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 68441-62-3	halogenated aliphatic polyether polyol	25-50%
	🗙 Xn R22; 🗙 Xi R36	
	Acute Tox. 4, H302; Eye Irrit. 2, H319	
	Polyether polyol	25-50%
	🗙 Xn R22; 🗙 Xi R36/37/38	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 811-97-2	Norflurane	10-25%
EINECS: 212-377-0	🔗 Press. Gas, H280	
	halogenated hydrocarbon	<10%
	🗙 Xn R22	
	🚯 Acute Tox. 4, H302	
• Additional information: For the wording of the listed risk phrases refer to section 16.		

(Contd. on page 4)

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

(Contd. of page 3)

4 First aid measures · 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Dizziness Gastric or intestinal disorders. Coughing Allergic reactions · Hazards No further relevant information available. · 4.3 Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. **5** Firefighting measures · 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: None. · 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO) Under certain fire conditions, traces of other toxic gases cannot be excluded. Danger of receptacles bursting because of high vapour pressure when heated. · 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.

(Contd. on page 5)

GHS

Printing date 03.04.2014

Revision: 03.04.2014

(Contd. of page 4)

Trade name: Touch N Seal RF 17 CMCC Part B

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
 Do not allow to enter sewers/ surface or ground water.
 Inform respective authorities in case of seepage into water course or sewage system.
 6.3 Methods and material for containment and cleaning up:
 Allow to solidify. Pick up mechanically.
 Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
 6.4 Reference to other sections
 See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area.
- \cdot 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

811-97-2 Norflurane

WEEL (USA) 1000 ppm

(Contd. on page 6)

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

hala	repeted hydrocerbon	(Contd. of page
	genated hydrocarbon	
PEL (USA)	790 mg/m ³ , 200 ppm	
REL (USA)	790 mg/m ³ , 200 ppm	
TLV (USA)	793 mg/m ³ , 200 ppm	
EL (Canada)	200 ppm	
EV (Canada)	Short-term value: 990 mg/m ³ , 250 ppm	
	Long-term value: 790 mg/m ³ , 200 ppm	
	ther relevant information available.	
	ther relevant information available.	ia
	formation: The lists valid during the making were used as bas	IS.
· 8.2 Exposure		
	tective equipment:	
	ective and hygienic measures:	
	m foodstuffs, beverages and feed.	
	emove all soiled and contaminated clothing. before breaks and at the end of work.	
	with the eyes and skin.	
	gases / fumes / aerosols.	
· Respiratory p		
Use suitable r	espiratory protective device in case of insufficient ventilation.	
Use suitable r	espiratory protective device when high concentrations are pres	ent.
Prote	ctive gloves	
Due to missi preparation/ the Selection of the	terial has to be impermeable and resistant to the product/ the sing tests no recommendation to the glove material can b the chemical mixture. The glove material on consideration of the penetration time	e given for the product/ th
 degradation. Material of gl 	0.405	
The selection quality and v substances, th checked prior	of the suitable gloves does not only depend on the material aries from manufacturer to manufacturer. As the product ne resistance of the glove material can not be calculated in ad- to the application.	t is a preparation of sever
	i me of glove material ak through time has to be found out by the manufacturer of th	e protective aloves and has
be observed.	ak intough time has to be round out by the manufacturer of th	e protective gioves and has
· Eye protectio	n:	
	s should not be worn.	
Safet	y glasses	
· Body protect	ion: Protective work clothing	
		(Contd. on page

Printing date 03.04.2014

Revision: 03.04.2014

(Contd. of page 6)

Trade name: Touch N Seal RF 17 CMCC Part B

· Limitation and supervision of exposure into the environment

No further relevant information available.

• **Risk management measures** See Section 7 for additional information. No further relevant information available.

9 Physical and chemical properti	es	
 9.1 Information on basic physical and General Information Appearance: 		
Form: Colour:	Aerosol Not determined.	
· Odour:	Sweetish	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. -15 °F / -26 °C	
· Flash point:	Not applicable, as aerosol.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	>500 °F / >260 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure at 20 °C:	5716 hPa	
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not applicable.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/water)	: Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
		(Contd. on page

Printing date 03.04.2014

Revision: 03.04.2014

(Contd. of page 7)

Trade name: Touch N Seal RF 17 CMCC Part B

· Solvent content: VOC (US EPA Method 24) · 9.2 Other information

32,0 g/l No further relevant information available.

10 Stability and reactivity

- 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with catalysts.

Reacts with peroxides. Reacts with strong oxidizing agents.

Reacts with strong acids.

Exothermic polymerization.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Phosphorus compounds Chlorine compounds Nitrogen oxides (NOx) Poisonous gases/vapours

Phosgene Hydrogen chloride (HCI)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitizing effect by skin contact is possible by prolonged exposure.

Sensitizing effect through inhalation is possible by prolonged exposure.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful Irritant Asphyxiant gas.

(Contd. on page 9)

GHS

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

(Contd. of page 8) • Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- · Additional ecological information:

· General notes:

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- \cdot 14.2 UN proper shipping name
- · DOT, IMDG, IATA

UN3500

Chemical under pressure, n.o.s. (Fluorinated Hydrocarbon, Nitrogen) 3500 CHEMICAL UNDER PRESSURE, N.O.S. (Fluorinated Hydrocarbon, Nitrogen)

· ADR

(Contd. on page 10)

Printing date 03.04.2014

Revision: 03.04.2014

	(Contd. of page
· 14.3 Transport hazard class(es)	(Conto. of page
· DOT	
T. C. HARRING	
Class	2.2
· Label	2.2
ADR	
\frown	
· Class	2 8A Gases.
· Label	2.2
· IMDG, IATA	
~	
Class	2.2
· Label · 14.4 Packing group	2.2
· DOT, ADR, IMDG, IATA	Not Regulated
• 14.5 Environmental hazards:	Ne
 Marine pollutant: 14.6 Special precautions for user 	No Warning: Gases.
Danger code (Kemler):	20
 EMS Number: 14.7 Transport in bulk according to Anr 	F-D,S-U
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
· Limited quantities (LQ)	120 ml
 Transport category Tunnel restriction code 	3 C/E
· UN "Model Regulation":	UN3500, CHEMICAL UNDER PRESSURE, N.O.
	(Fluorinated Hydrocarbon, Nitrogen)

(Contd. on page 11)

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

(Contd. of page 10)

 15.1 Safety, health and environmental regulations/legislation specific for United States (USA) SARA 	or the substance or mixtur
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Touch N Seal RF 17 CMCC Part B

(Contd. of page 11)

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information		
	ormation is based on our present knowledge. However, this shall not constitute a guarantee for any product features and shall not establish a legally valid contractual relationship.	
 Relevand H280 H302 H315 H319 H335 	nt phrases Contains gas under pressure; may explode if heated. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
R22 R36 R36/37/	Harmful if swallowed. Irritating to eyes. /38 Irritating to eyes, respiratory system and skin.	
ADR: Ac Internatio IMDG: Int DOT: US IATA: Inte GHS: GIO ACGIH: A EINECS: ELINCS: CAS: Che NFPA: Na HMIS: Ha DNEL: De PNEC: Pr : Flamma Press. Ga Acute Toy Skin Irrit. Eye Irrit. 2 STOT SE SDS Pr ChemTe 1305 No Tampa, Toll Fre	epared by:	