Printing date 03.15.2016

Revision: 03.15.2016

underta	ON 1: Identification of the substance/mixture and of the company king
· 1.1 Produ	ct identifier
Trade na	ne: <u>Touch 'n Seal Slow Rise 120 Side B RF120</u>
1.2 Releva	mber: EHS 3431 B ant identified uses of the substance or mixture and uses advised against relevant information available.
· Applicatio	on of the substance / the mixture Polyurethane-sealant
• Manufact Convenier 866 Horar Fenton, M	s of the supplier of the Safety Data Sheet urer/Supplier: nce Products, division of Clayton Corp. Drive O 63026-2416 6-349-5855
ChemTel	gency telephone number: Inc. 3924, +1 (813)248-0585
	ification of the substance or mixture
Classifica	ation according to Regulation (EC) No 1272/2008
Classifica	ation according to Regulation (EC) No 1272/2008
Classifica he Repr. 1A Skin Irrit. 2	ation according to Regulation (EC) No 1272/2008
Classifica he Repr. 1A Skin Irrit. 2	alth hazard H360 May damage fertility or the unborn child.
Classification Repr. 1A Skin Irrit. 2 Eye Irrit. 2 Classification T; Toy	 alth hazard H360 May damage fertility or the unborn child. 2 H315 Causes skin irritation. H319 Causes serious eye irritation. H229 Pressurised container: May burst if heated. atton according to Directive 67/548/EEC or Directive 1999/45/EC kic ay impair fertility.
Classifica	 alth hazard H360 May damage fertility or the unborn child. 2 H315 Causes skin irritation. H319 Causes serious eye irritation. H229 Pressurised container: May burst if heated. atton according to Directive 67/548/EEC or Directive 1999/45/EC kic ay impair fertility.

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120 (Contd. of page 1) · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Methyloxirane polymer with oxirane, ether with 2.6-bis[(bis(2-hydroxyethyl)amino) methyl]-4-nonylphenol (5:1)· Hazard statements H229 Pressurised container: May burst if heated. H315 Causes skin irritation. H319 Causes serious eve irritation. H360 May damage fertility or the unborn child. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P281 Use personal protective equipment as required. Wash thoroughly after handling. P264 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 If eve irritation persists: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Restricted to professional users. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. · Hazard description: WHMIS-symbols: D2A - Very toxic material causing other toxic effects (Contd. on page 3)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120 (Contd. of page 2) · NFPA ratings (scale 0 - 4) Health = 1 Fire = 0Reactivity = 1· HMIS-ratings (scale 0 - 4) 1 Health = 1 HEALTH FIRE • Fire = 0 REACTIVITY 1 Reactivity = 1 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 52019-35-9 Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl)amino) methyl]-4nonylphenol (5:1) 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. Dangerous components: Norflurane 10-25% CAS: 811-97-2 EINECS: 212-377-0 R44 🔗 Press. Gas C, H280 halogenated aliphatic polyether polyol CAS: 68441-62-3 10-25% 🗙 Xn R22; 🗙 Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319 CAS: 52019-35-9 Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl)) 10-25% amino) methyl]-4-nonylphenol (5:1) 😡 T R60; 🗙 Xi R36/37/38 & Repr. 1A. H360 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 1,1,1,3,3-Pentafluoropropane, (Genetron®245fa) CAS: 460-73-1 <10% Press. Gas C, H280 · Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 4)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact: Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water. Do not induce vomiting: call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

- Gastric or intestinal disorders.
- Dizziness

Coughing

Allergic reactions

· Hazards No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation.

If necessary oxygen respiration treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
6.3 Methods and material for containment and cleaning up: Allow to solidify. Pick up mechanically. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurised containers. Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

(Contd. of page 5) · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 811-97-2 Norflurane WEEL (USA) 1000 ppm • DNELs No further relevant information available. • PNECs No further relevant information available. · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve protection: Contact lenses should not be worn. Safety glasses Body protection: Protective work clothing

- Limitation and supervision of exposure into the environment No further relevant information available.
- **Risk management measures** See Section 7 for additional information.

(Contd. on page 7)

Printing date 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical an General Information Appearance: 	d chemical properties			
• Appearance: Form: Colour: • Odour: • Odour:	Aerosol Amber coloured Like aromates Not determined.			
· pH-value:	Not determined.			
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. -15 F / -26 °C			
· Flash point:	Not applicable, as aerosol.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto/Self-ignition temperature:	>500 °F / >260 °C			
· Decomposition temperature:	Not determined.			
· Self-igniting:	Product is not self-igniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
 Explosion limits: Lower: Upper: 	Not determined. Not determined.			
· Vapour pressure at 20 °C:	5716 hPa			
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,21 g/cm ³ Not determined. Not determined. Not applicable.			
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/water): Not determined.				
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.			
 Solvent content: Organic solvents: VOC (US EPA Method 24) 	Not determined. 0 g/l			
Solids content:	Not determined.	(Contd. on page 8)		

Revision: 03.15.2016

(Contd. of page 6)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

· 9.2 Other information

No further relevant information available.

(Contd. of page 7)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with catalysts.
- Reacts with peroxides.
- Reacts with strong oxidising agents.
- Reacts with strong acids.
- Exothermic polymerisation.
- **10.4 Conditions to avoid** Store away from oxidising agents.
- \cdot 10.5 Incompatible materials: No further relevant information available.

 to.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Halogenated hydrocarbons Phosphorus compounds Nitrogen oxides (NOx) Chlorine compounds Poisonous gases/vapours

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

13674-84-5 tris(2-chlorisopropyl)-phosphate

- Oral LD50 3600 mg/kg (rat)
- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitisation:

Sensitising effect by skin contact is possible by prolonged exposure.

Sensitising effect through inhalation is possible by prolonged exposure.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant Asphyxiant gas.

Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 9)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Repr. 1A

(Contd. of page 8)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- Additional ecological information:

· General notes:

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- \cdot DOT, ADR, IMDG, IATA
- \cdot 14.2 UN proper shipping name
- \cdot DOT, IMDG, IATA

N/A UN3500

Chemical under pressure, n.o.s. (Fluorinated Hydrocarbon, Nitrogen)

(Contd. on page 10)

Page 10

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120 (Contd. of page 9) · ADR 3500 CHEMICAL UNDER PRESSURE, N.O.S. (Fluorinated Hydrocarbon, Nitrogen) · 14.3 Transport hazard class(es) 2.2 · DOT · Class 2.2 · Label 2.2 · ADR · Class 2 2.2 · Label · IMDG, IATA · Class 2.2 · Label 2.2 · 14.4 Packing group · DOT, ADR, IMDG, IATA Not Regulated · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Gases. · Danger code (Kemler): 20 · EMS Number: F-D,S-U · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: · ADR · Limited quantities (LQ) 120 ml · Transport category 3 · Tunnel restriction code C/E · UN "Model Regulation": UN3500, CHEMICAL UNDER PRESSURE, N.O.S. (Fluorinated Hydrocarbon, Nitrogen), 2.2

(Contd. on page 11)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

(Contd. of page 10)

SECTION 15: Regulatory information · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) · SARA Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. • TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 (California): · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. · Carcinogenic Categories · EPA (Environmental Protection Agency) None of the ingredients are listed. · IARC (International Agency for Research on Cancer) None of the ingredients are listed. • TLV (Threshold Limit Value established by ACGIH) None of the ingredients are listed. NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients are listed. · Canada · Canadian Domestic Substances List (DSL) All ingredients are listed. · Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients are listed. Canadian Ingredient Disclosure list (limit 1%) None of the ingredients are listed. (Contd. on page 12)

Printing date 03.15.2016

Revision: 03.15.2016

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

(Contd. of page 11)

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H360 May damage fertility or the unborn child.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R36/37/38 Irritating to eyes, respiratory system and skin.
- R44 Risk of explosion if heated under confinement.
- R60 May impair fertility.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- : Flammable aerosols, Hazard Category 3
- Press. Gas C: Gases under pressure: Compressed gas Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation. Hazard Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- STOT SE 3: Specific target organ toxicity Single exposure, Hazard Category 3
- Sources
- SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902

(Contd. on page 13)

Printing date 03.15.2016

Revision: 03.15.2016

(Contd. of page 12)

Trade name: Touch 'n Seal Slow Rise 120 Side B RF120

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com