

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

1 Identification

· Product identifier

· Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

Other product identifiers: EHS 2522 B

· Recommended use and restriction on use

· Recommended use: Polyurethane resin

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Convenience Products

866 Horan Drive Pacific, MO 63026 Phone: 636-349-5855 Toll-Free: 1-800-325-6180

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS04 GHS07

· Signal word: Warning

Hazard statements:

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H335 May cause respiratory irritation.

· Precautionary statements:

P233 Keep container tightly closed.

P261 Avoid breathing mist, vapors, or spray.

P264 Wash thoroughly after handling.

(Cont'd. on page 2)

Page: 1/11



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 1)

Page: 2/11

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P330 Rinse mouth.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componen	ts:	
	Polyether polyol	25-50%
	① Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
811-97-2	Norflurane	10-25%
	Press. Gas, H280 Simple Asphyxiant	
13674-84-5	tris(2-chlorisopropyl)-phosphate Acute Tox. 4, H302	10-25%
52019-35-9	Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl)amino) methyl]-4-nonylphenol (5:1)	<10%
	Eye Dam. 1, H318	
68441-62-3	halogenated aliphatic polyether polyol	<10%
	♦ Acute Tox. 4, H302; Eye Irrit. 2A, H319	
9016-45-9	nonylphenol, ethoxylated	<10%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
	halogenated hydrocarbon	<10%
	♠ Flam. Liq. 2, H225♠ Acute Tox. 4, H332	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 2)

Page: 3/11

4 First-aid measures

- Description of first aid measures
- After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Do not pull solidified product away from the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Headache

Coughing

Dizziness

Irritant to skin and mucous membranes.

Causes eye irritation.

May cause respiratory irritation.

- · Danger: Harmful if swallowed.
- · Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Cool endangered receptacles with water spray.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 3)

Page: 4/11

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Allow to solidify. Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Organic solvent

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

Do not spray on a naked flame or any incandescent material.

- Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) No relevant information available.

(Cont'd. on page 5)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 4)

Page: 5/11

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:					
811-97-2 Norflurane					
WEEL (USA)	Long-term value: 1000 ppm				
156-60-5 trans-	dichloroethylene				
PEL (USA)	Long-term value: 790 mg/m³, 200 ppm				
REL (USA)	Long-term value: 790 mg/m³, 200 ppm				
TLV (USA)	Long-term value: 790 mg/m³, 200 ppm				
EL (Canada)	Long-term value: 200 ppm				
EV (Canada)	Short-term value: 990 mg/m³, 250 ppm Long-term value: 790 mg/m³, 200 ppm				
LMPE (Mexico)	Long-term value: 200 ppm				

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures See Section 7 for additional information.

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 5)

Page: 6/11

Physical and chemical properties				
Information on basic physical a	and chemical properties			
Appearance:				
Form:	Aerosol			
Color:	Amber colored			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Melting point/Melting range:	Not applicable, as aerosol.			
Boiling point/Boiling range:	-26 °C (-15 °F)			
Flash point:	Not applicable, as aerosol.			
Flammability (solid, gaseous):	Not applicable.			
Auto-ignition temperature:	>260 °C (>500 °F)			
Decomposition temperature:	Not determined.			
Danger of explosion:	Not determined.			
Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure at 20 °C (68 °F):	5716 hPa (4287 mm Hg)			
Density:				
Relative density:	1.14			
Vapor density:	Not determined.			
Evaporation rate:	Not applicable.			
Solubility in / Miscibility with				
Water:	Fully miscible.			
Partition coefficient (n-octanol/wa	ter): Not determined.			
Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
VOC content:	3.2% / 27.8 g/l (US EPA Method 24)			
Other information	No relevant information available.			

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

Danger of receptacles bursting because of high vapor pressure if heated.

Possibility of hazardous reactions

Reacts with peroxides.

(Cont'd. on page 7)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 6)

Page: 7/11

Reacts with catalysts.

Reacts with strong acids and oxidizing agents.

Exothermic polymerization.

- · Conditions to avoid Excessive heat and contact with oxidizers.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Phosphorus compounds Nitrogen oxides (NOx)

Chlorine compounds

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

13674-84-5 tris(2-chlorisopropyl)-phosphate

Oral LD50 1101 mg/kg (rat)

68441-62-3 halogenated aliphatic polyether polyol

Oral LD50 1337 mg/kg (rat)

9016-45-9 nonylphenol, ethoxylated

Oral LD50 4290 mg/kg (mouse)

- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Harmful if swallowed.

Irritating to eyes, respiratory system and skin.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · **STOT-single exposure**: May cause respiratory irritation.

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 7)

Page: 8/11

- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity

Harmful to aquatic life with long lasting effects.

13674-84-5 tris(2-chlorisopropyl)-phosphate

LC50 51 mg/l (pimephales promelas)

EC50 131 mg/l (daphnia)

9016-45-9 nonylphenol, ethoxylated

LC50 1.821 mg/l (daphnia) (48 h)

- · Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- · Bioaccumulative potential: May be accumulated in organism
- · Mobility in soil: No relevant information available.
- Ecotoxical effects:
- · Remark:

Harmful to fish

Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

- · Additional ecological information
- · General notes: Avoid release to the environment.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact manufacturer for recycling information.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. on page 9)



Printing date: April 10, 2017

Page: 9/11

Revision: April 10, 2017

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 8)

UN-Number			
DOT, ADR, IMDG, IATA	UN3500		
UN proper shipping name DOT, IATA	Chemical under pressure, n.o.s. (Fluorina		
ADR, IMDG	hydrocarbon, Nitrogen) CHEMICAL UNDER PRESSURE, N.O. (FLUORINATED HYDROCARBON, NITROGEN)		
Transport hazard class(es)			
DOT			
Class	2.2		
Label	2.2		
ADR			
*			
Class	2 8A Gases		
Label	2.2		
IMDG, IATA			
Class	2 Gases		
Label	2.2		
Packing group	This UN-number is not assigned a packing group.		
Environmental hazards Marine pollutant:	No		
Special precautions for user	Warning: Gases		
Danger code (Kemler): EMS Number:	20 F-C,S-V		
Transport in bulk according to Annex			



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 9)

Page: 10/11

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- Carcinogenic categories
- EPA (Environmental Protection Agency):

156-60-5 trans-dichloroethylene

|11

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision April 10, 2017 / -
- · Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 11)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 10, 2017 Revision: April 10, 2017

Trade name: Touch 'n Seal Foam Kit 300 FR (1.0pcf) Part B

(Cont'd. of page 10)

Page: 11/11

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Press. Gas: Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com