
GHS

Printing date 03.04.2014

Revision: 03.04.2014



GHS

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Mine Foam Side B (Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labelling: Polyether polyol halogenated aliphatic polyether polyol halogenated hydrocarbon · Hazard statements H229 Pressurised container: May burst if heated. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements Wear protective gloves / eye protection. P280 P264 Wash thoroughly after handling. P261 Avoid breathing mist/vapours/spray. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. Additional information: Contains Neodecanoic Acid. May produce an allergic reaction. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. 7,8 % by mass of the contents are flammable · Hazard description: · WHMIS-symbols: A - Compressed gas D2B - Toxic material causing other toxic effects

(Contd. on page 3)

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Mine Foam Side B (Contd. of page 2) · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 1· HMIS-ratings (scale 0 - 4) Health = 2HEALTH 2 FIRE Fire = 0REACTIVITY 1 Reactivity = 1 · HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: Polyether polyol Xn R22; Xi R36/37/38 25-50%

	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 811-97-2	Norflurane	10-25%
EINECS: 212-377-0	🗢 Press. Gas, H280	
CAS: 68441-62-3	halogenated aliphatic polyether polyol	10-25%
	🗙 Xn R22; 🗙 Xi R36	
	Acute Tox. 4, H302; Eye Irrit. 2, H319	
	halogenated hydrocarbon	<10%
	🗙 Xn R22	
	🕂 Acute Tox. 4, H302	
Additional information	ion: For the wording of the listed risk phrases refer to section 16.	

#### 4 First aid measures

#### $\cdot$ 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 4)

GHS

Printing date 03.04.2014

Revision: 03.04.2014

	(Contd. of page
• After inhalation: Supply fresh air; consult doctor in case of complaints.	(
After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation continues, consult a doctor.	
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persis	st, consult a doctor.
· After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; call for medical help immediately.	
<ul> <li>4.2 Most important symptoms and effects, both acute and delayed</li> </ul>	
Gastric or intestinal disorders.	
Dizziness	
Coughing	
Allergic reactions	
Hazards No further relevant information available.	
<ul> <li>4.3 Indication of any immediate medical attention and special treatment n</li> </ul>	needed
If swallowed, gastric irrigation.	
If necessary oxygen respiration treatment.	
Treat skin and mucous membrane with antihistamine and corticoid preparation	
In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.	
5 Firefighting measures	

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx)

Carbon monoxide (CO)

Danger of receptacles bursting because of high vapour pressure when heated.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

#### 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 5)

GHS

Revision: 03.04.2014

Printing date 03.04.2014

#### Trade name: Mine Foam Side B

(Contd. of page 4)

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. · 6.3 Methods and material for containment and cleaning up:
- Allow to solidify. Pick up mechanically. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area.
- · 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

811-97-2 Nor	ilurane	
WEEL (USA)	1000 ppm	
halo	genated hydrocarbon	
PEL (USA)	790 mg/m³, 200 ppm	
REL (USA)	790 mg/m³, 200 ppm	
TLV (USA)	793 mg/m³, 200 ppm	
EL (Canada)	200 ppm	
EV (Canada)	Short-term value: 990 mg/m <sup>3</sup> , 250 ppm	
	Long-term value: 790 mg/m <sup>3</sup> , 200 ppm	
· DNELs No fu	ther relevant information available.	
		(Contd. on pag

GHS

Printing date 03.04.2014

Trade name: Mine Foam Side B

Revision: 03.04.2014

<ul> <li>• PNECs No further relevant information available.</li> <li>• Additional information: The lists valid during the making were used as basis.</li> </ul>
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.</li> <li>Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present.</li> <li>Protection of hands:</li> </ul>
Protective gloves
<ul> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>Contact lenses should not be worn.</li> </ul>
Safety glasses
<ul> <li>Body protection: Protective work clothing</li> <li>Limitation and supervision of exposure into the environment No further relevant information available.</li> <li>Risk management measures See Section 7 for additional information. No further relevant information available.</li> </ul>

(Contd. on page 7)

Revision: 03.04.2014

#### Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 03.04.2014

Trade name: Mine Foam Side B

9 Physical and chemical prope	rties	
<ul> <li>9.1 Information on basic physical a</li> <li>General Information</li> </ul>		
· Appearance: Form:	Aerosol	
Colour:	Not determined.	
· Odour:	Sweetish	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Not Determined. -15 °F / -26 °C	
· Flash point:	Not applicable, as aerosol.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	>500 °F / >260 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Vapour pressure at 20 °C:</li> </ul>	5716 hPa	
· Density:	Not determined.	
<ul> <li>Relative density</li> <li>Vapour density</li> </ul>	Not determined. Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic: Kinematic:	Not determined. Not determined.	
<ul> <li>Solvent content: VOC (US EPA Method 24)</li> </ul>	32,0 g/l	
• 9.2 Other information	No further relevant information available.	

(Contd. of page 6)

(Contd. on page 8)

Printing date 03.04.2014

Trade name: Mine Foam Side B

Revision: 03.04.2014

(Contd. of page 7)

#### 10 Stability and reactivity 10.1 Reactivity 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. · 10.3 Possibility of hazardous reactions Reacts with catalysts. Reacts with peroxides. Reacts with strong oxidizing agents. Reacts with strong acids. Exothermic polymerization. • 10.4 Conditions to avoid Store away from oxidizing agents. • 10.5 Incompatible materials: No further relevant information available. 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Phosphorus compounds Chlorine compounds Nitrogen oxides (NOx) Poisonous gases/vapours Phosgene Hydrogen chloride (HCI)

#### **11 Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitizing effect by skin contact is possible by prolonged exposure.

Sensitizing effect through inhalation is possible by prolonged exposure.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful Irritant

Asphyxiant gas.

• Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

#### **12 Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.

(Contd. on page 9)

GHS

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Mine Foam Side B

(Contd. of page 8) • **12.3 Bioaccumulative potential** No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · Additional ecological information: · General notes: This statement was deduced from the properties of the single components. The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Other adverse effects No further relevant information available. 13 Disposal considerations 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Uncleaned packaging: · Recommendation: Disposal must be made according to official regulations. · Recommended cleansing agents: Water, if necessary together with cleansing agents. 14 Transport information · 14.1 UN-Number · DOT, ADR, IMDG, IATA UN3500 · 14.2 UN proper shipping name · DOT, IMDG, IATA Chemical under pressure, n.o.s. (Fluorinated Hydrocarbon, Nitrogen) 3500 CHEMICAL UNDER PRESSURE, N.O.S. · ADR (Fluorinated Hydrocarbon, Nitrogen) 14.3 Transport hazard class(es) · DOT · Class 2 Gases.

(Contd. on page 10)

Printing date 03.04.2014

Revision: 03.04.2014

Label	(Contd. of page 2.2
ADR	
Class	2 8A Gases.
Label	2.2
IMDG, IATA	
Class	2 Gases.
Label	2.2
14.4 Packing group	<b>_</b>
DOT, ADR, IMDG, IATA	Not Regulated
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	20
EMS Number:	F-D,S-U
14.7 Transport in bulk according to Ann	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	120 ml
Transport category	3
Tunnel restriction code	C/E
UN "Model Regulation":	UN3500, CHEMICAL UNDER PRESSURE, N.O.S
	(Fluorinated Hydrocarbon, Nitrogen), 2.2

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

·SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 11)

Printing date 03.04.2014

Revision: 03.04.2014

Trade name: Mine Foam Side B

Branasitian 65 (California):	(Contd. of page
Proposition 65 (California):     Chemicals known to cause cancer:	
None of the ingredients is listed.	
5	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
• EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
• Other regulations, limitations and prohibitive regulations	
· Substances of very high concern (SVHC) according to REACH, Article	e 57
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has n	not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

(Contd. on page 12)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 03.04.2014

de name	: Mine Foam Side B
	(Contd. of page 11
H335	May cause respiratory irritation.
R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/37/3	38 Irritating to eyes, respiratory system and skin.
ADR: Acc Internation IMDG: Inter DOT: US E IATA: Inter GHS: Glob ACGIH: Ar EINECS: E ELINCS: E CAS: Cher NFPA: Nat HMIS: Haz WHMIS: Haz WHMIS: Haz WHMIS: Der PNEC: Pre : Flammab Press. Gas Acute Tox. Skin Irrit. 2 Eye Irrit. 2: STOT SE : <b>Sources</b> SDS Pre ChemTe 1305 No Tampa,	pared by:

Printing date 03.04.2014