

# **Safety Data Sheet** acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

	, , , , , , , , , , , , , , , , , , ,
1 Identification	
· Product identifier	
<ul> <li>Trade name: <u>Touch 'n Seal RF 120 FR ICC Part B</u></li> <li>Other product identifiers: EHS 2732 B</li> </ul>	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Polyurethane-sealant</li> <li>Restrictions on use: No relevant information available.</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Convenience Products</li> <li>866 Horan Drive</li> <li>Pacific, MO 63026</li> <li>Phone: 636-349-5855</li> <li>Toll-Free: 1-800-325-6180</li> </ul>	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
Classification of the substance or mixture	
Press. Gas H280 Contains gas under pressure; may explode if heated.	
Acute Tox. 4 H302 Harmful if swallowed.	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reaction.	
STOT SE 3 H335 May cause respiratory irritation.	
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System - Hazard pictograms:</li> </ul>	stem (GHS).
$\land \land$	
GHS04 GHS07	
<ul> <li>Signal word: Warning</li> <li>Hazard statements:</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H302 Harmful if swallowed.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H317 May cause an allergic skin reaction.</li> </ul>	
H335 May cause respiratory irritation.	(Cont'd. on page 2)





# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

# Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 1)

Precautionary st	atements:
P233	Keep container tightly closed.
P261	Avoid breathing mist, vapors, or spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

13674-84-5	tris(2-chlorisopropyl)-phosphate	10-259
	🚸 Acute Tox. 4, H302	
811-97-2	Norflurane	10-25
	Press. Gas, H280 Simple Asphyxiant	
	Polyether polyol	10-25
	1 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
68441-62-3	halogenated aliphatic polyether polyol	10-20
	1 Acute Tox. 4, H302; Eye Irrit. 2A, H319	
460-73-1	1,1,1,3,3-Pentafluoropropane, (Genetron®245fa)	<10%
	Press. Gas, H280	
52019-35-9	Methyloxirane polymer with oxirane, ether with 2,6-bis[(bis(2-hydroxyethyl)amino) methyl]-4-nonylphenol (5:1)	<10%
	Eye Dam. 1, H318	
	Ácute Tox. 4, H302; Skin Irrit. 2, H315	
5493-45-8	diglycidyl 1,2-cyclohexanedicarboxylate	<10%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

(Cont'd. on page 3)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 2)

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

# 4 First-aid measures

<ul> <li>Description of first aid measures</li> <li>After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing.</li> <li>After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.</li> <li>After eye contact:</li> </ul>
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed: Gastric or intestinal disorders
Dizziness
Coughing
Allergic reactions
Causes eye irritation.
Irritant to skin and mucous membranes.
Indication of any immediate medical attention and special treatment needed:
If swallowed, gastric irrigation.
If necessary oxygen respiration treatment.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.
5 Fire-fighting measures
Forthe social bias and dis

# • Extinguishing media

# · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Contains gas under pressure; may explode if heated.
- <sup>•</sup> Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered receptacles with water spray.

(Cont'd. on page 4)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

#### Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 3)

#### 6 Accidental release measures

# • Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up

Allow to solidify. Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

#### <sup>·</sup> Handling

Precautions for safe handling:

Use only in well ventilated areas.

Use personal protective equipment as required.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Information about protection against explosions and fires:

Contains gas under pressure; may explode if heated.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities · Storage

· Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials. Store away from foodstuffs.

• Further information about storage conditions: Keep containers tightly sealed.

· Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### <sup>·</sup> Control parameters

· Components with limit values that require monitoring at the workplace:

# 811-97-2 Norflurane

WEEL (USA) Long-term value: 1000 ppm

(Cont'd. on page 5)





# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal RF 120 FR ICC Part B (Cont'd. of page 4) • Exposure controls · Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: Use only outdoors or in a well-ventilated area. · Breathing equipment: Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available.

· Risk management measures No relevant information available.

Information on basic physical	and chemical properties	
Appearance:		
Form:	Aerosol	
Color:	Amber colored	
Odor:	Like aromates	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	-26 °C (-15 °F)	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	>260 °C (>500 °F)	



#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

# Trade name: Touch 'n Seal RF 120 FR ICC Part B

		(Cont'd. of page
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	5716 hPa (4287 mm Hg)	
Density:		
Relative density:	1.2	
Vapor density:	Not determined.	
Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0 g/l	
Other information	No relevant information available.	

#### 10 Stability and reactivity · Reactivity: No relevant information available. Chemical stability: • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. <sup>•</sup> Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with strong oxidizing agents. Reacts with strong acids. Reacts with diisocyanate resins. · Conditions to avoid Avoid acids. · Incompatible materials No relevant information available. · Hazardous decomposition products Carbon monoxide and carbon dioxide Phosphorus compounds Chlorine compounds Nitrogen oxides (NOx) Danger of toxic fluorine based pyrolysis products.

(Cont'd. on page 7)



# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

# Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 6)

Toxicolog	ical information
	n on toxicological effects
Acute toxicit	•
	ues that are relevant for classification:
	ris(2-chlorisopropyl)-phosphate
	101 mg/kg (rat)
	alogenated aliphatic polyether polyol
	337 mg/kg (rat)
Primary irrita	
	Irritant to skin and mucous membranes.
	Irritating effect.
	1: Contains diglycidyl 1,2-cyclohexanedicarboxylate. May produce an allergic reaction
•	ational Agency for Research on Cancer):
None of the II	ngredients are listed.
•	al Toxicology Program):
None of the in	ngredients are listed.
OSHA-Ca (O	ccupational Safety & Health Administration):
None of the in	ngredients are listed.
	ute(s) of exposure:
Inhalation.	
Eye contact. Skin contact.	
	s (acute toxicity, irritation and corrosivity):
Harmful if sw	
	spiratory irritation.
Irritating to ey	
Germ cell m Carcinogeni Reproductiv STOT-single STOT-repeat	(carcinogenity, mutagenicity and toxicity for reproduction) utagenicity: Based on available data, the classification criteria are not met. city: Based on available data, the classification criteria are not met. e toxicity: Based on available data, the classification criteria are not met. exposure: May cause respiratory irritation. ted exposure: Based on available data, the classification criteria are not met. azard: Based on available data, the classification criteria are not met.
-	I information
Toxicity	
Aquatic toxi	•
	ris(2-chlorisopropyl)-phosphate
LC50 51 mg	/l (pimephales promelas)
EC50 131 m	g/l (daphnia)

Persistence and degradability No relevant information available.

(Cont'd. on page 8)





# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 7)

· **Bioaccumulative potential:** No relevant information available.

· Mobility in soil: No relevant information available.

# <sup>•</sup> Additional ecological information

#### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# <sup>•</sup> Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No relevant information available.

# **13 Disposal considerations**

# <sup>·</sup> Waste treatment methods

#### · Recommendation:

Contact waste processors for recycling information.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN3500
UN proper shipping name	
DOT, IATA	Chemical under pressure, n.o.s. (Fluorinate hydrocarbon, Nitrogen)
ADR, IMDG	CHEMICAL UNDER PRESSURE, N.O.S (FLUORINATED HYDROCARBON, NITROGEN)
Transport hazard class(es)	
DOT	
<b></b>	
Class	2.2



# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal RF 120 FR ICC Part B		
	(Cont'd. of page 8)	
· Label	2.2	
ADR		
· Class	2 8A Gases	
· Label	2.2	
Class	2 Gases	
·Label	2.2	
<sup>·</sup> Packing group	This UN-number is not assigned a packing group.	
· Environmental hazards · Marine pollutant:	No	
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> </ul>	Warning: Gases 20	
EMS Number:	F-C,S-V	
• Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
15 Regulatory information		
<ul> <li>Safety, health and environmental reg mixture</li> <li>United States (USA)</li> <li>SARA</li> </ul>	julations/legislation specific for the substance or	
• Section 302 (extremely hazardous substan	ces):	
None of the ingredients are listed.		

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act)

All ingredients are listed.

(Cont'd. on page 10)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 9)

Proposition 65 (California)
 Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision April 11, 2017 / -

· Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Press. Gas: Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) (Cont'd. on page 11)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: April 11, 2017

Revision: April 11, 2017

Trade name: Touch 'n Seal RF 120 FR ICC Part B

(Cont'd. of page 10)

Page: 11/11

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com